



Turbonomic 8.1.6 REST API Changes

May 5, 2021

This document describes issues that result in changes to the REST API. It is a running list of changes that accumulates these changes until the next release of the API Programming Guide. When we release a new version of the programming guide, it will include these changes. At that time, the list will start with new change to the API.

Because the API is a full reflection of the Turbonomic product, some changes to the product necessarily cause changes in the API. This can include bug fixes and improvements to the product. For example, we might add new commodities that you can get for a given entity type. Or a bug fix might change the data that is returned by an API request. We strive to make these changes backward-compatible whenever possible.

REST API Changes

- **Improvement:**

Fix Version: 8.1.6

For the `/targets/{targetUuid}/health` request, the `state` parameter enum has been redefined.

For the `/targets/{targetUuid}/health` request, the `state` parameter enum has the following values and descriptions:

- **NORMAL (1):**
This entity is in a healthy state.
- **MINOR (2):**
The recommended action will improve the environment, but is unlikely to have severe consequences if not addressed.
- **MAJOR (3):**
The recommended action will improve the environment, and if left unaddressed is likely to have severe consequences.
- **CRITICAL (4):**

The recommended action will improve the environment, and if left unaddressed *will* have severe consequences. These actions should be addressed immediately.

- **Improvement:**

Fix Version: 8.1.6

The response for the GET /search, POST /search, and GET /groups requests are now paginated when using at least one of the following parameters: orderBy, limit, or cursor.

When at least one of the parameters `orderBy`, `limit`, or `cursor` are included with the GET /search, POST /search, and GET /groups requests, the results will be paginated. Without these parameters, the results will be returned in full.

In addition, the `environmentType` and `cloudType` parameters for empty groups will be set to the values of the target(s) that initially discovered them.

- **Improvement:**

Fix Version: 8.1.4

The Provision setting for scaling actions has been replaced with the Horizontal Scaling setting, which requires that applications have a managed underlying entity.

The `Provision` setting for scaling actions has been replaced with the `Horizontal Scaling` setting. In addition, the following items must be true to horizontally scale applications:

- The application must be horizontally scalable and reside on a Kubernetes target
- The application must have `Transaction` or `ResponseTime` metrics
- `Transaction SLO` or `Response Time SLO` must be enabled

- **Improvement:**

Fix Version: 8.1.4

The response for the GET /tags is now paginated when using at least one of the following parameters orderBy, limit, or cursor.

When at least one of the parameters `orderBy`, `limit`, or `cursor` are included with the GET /tags request, the results will be paginated.

Without these parameters, the results will be returned in full.

- **Improvement:**

Fix Version: 8.1.3

In the DemandReservationApiDTO, the relatedResources parameter has been deprecated and replaced by the linkedResources parameter.

In the `DemandReservationApiDTO`, the `relatedResources` parameter has been deprecated and replaced by the `linkedResources` parameter. This parameter returns more detailed information about the reservation resources.

- **Improvement:**

Fix Version: 8.1.2

For actions, the DTO now includes the cluster name for the Current, New, and Target entities in the action description.

The action DTO now includes the related cluster in the `connectedEntities` object for each of the Current, the New, and the Target entities in the action description. In the DTO, the cluster object is similar to:

```
"connectedEntities": [
  {
    "className": "Cluster",
    "displayName": "ACM/ACM Cluster",
    "uuid": "73856545920539"
  }
]
```

- **Improvement:**

Fix Version: 8.1.1

You can now enable analysis of on-prem virtual volumes.

This version of Turbonomic introduces a new Global Default setting, `Enable analysis of on-prem Virtual Volume`. This setting enables the product to generate the commodities and perform the analysis required to execute actions on individual virtual volumes.

NOTE:

We offer this feature as a public preview. Feature details might be subject to change.

This version of Turbonomic introduces a new `boolean` setting to the `marketsettingsmanager` settings manager, `onPremVirtualVolumeResourceAnalysis`. This global setting defaults to `false`, and when enabled, the product will generate the commodities and perform the analysis required to execute actions on individual virtual volumes.

- **Improvement:**

Fix Version: 8.1.1

Fix Version: 8.1.2

When deleting a reservation, you can specify whether the associated workloads have been deployed.

The API now includes the new `reservation_deployed` parameter that you can pass along with a `DELETE` call to a specific reservation. This enables Turbonomic to correctly track resource utilization on the affected providers.

When you delete a reservation via the API, and you include the `reservation_deployed = true` parameter, the following things happen:

- Turbonomic analysis is aware of the newly deployed workloads on the providers, and tracks those VMs as usual.
- The reservation remains in the Turbonomic for 48 hours. If you inspect this reservation via the API or the user interface, the reservation appears unchanged.
- After 48 hours, Turbonomic deletes the reservation.

- **Improvement:**

Fix Version: 8.1.1

When making an entities request, aspect parameters will be returned even if they are empty.

The data returned from any requests for ENTITIES includes aspects. Under circumstances where there is no value for the following aspects, the DTO does not include the given aspect:

- `aspects.dbAspect.maxConcurrentSessions`
- `aspects.dbAspect.maxConcurrentWorkers`

- **Improvement:**

Fix Version: 8.1.1

In the `marketsettingsmanager` settings manager, the settings `minReplicas` and `maxReplicas` have been added.

In the `marketsettingsmanager` settings manager, the settings `minReplicas` and `maxReplicas` have been added, which enable you to specify the minimum and maximum replicas for application component horizontal scaling.

- **Improvement:**

Fix Version: 8.1.1

To assign the Report Editor role for Embedded Reporting, you can use the API.

To assign the Report Editor privilege to a user account, you can use the API. For example, you can create a user with Report Editor privileges with the following API payload:

```
{
  "username": "MyUserName",
  "password": "MyPassword",
  "type": "DedicatedCustomer",
  "loginProvider": "LOCAL",
  "roles": [{"name": "report_editor"}, {"name": "advisor"}]
}
```

In this example, the `roles` field is an array of roles that includes the `report_editor` role. If you need help using the API, please contact your support representative.

- **Improvement:**

Fix Version: 8.1.0

Customer Issue 114133

When you execute the API call, `api/v3/groups/{UUID}/members`, and the group has no members, the API used to return a 500 error. The API now returns an empty list of members.

- **Improvement:**

Fix Version: 8.0.7

Fix Version: 8.1.0

The RESERVATIONS endpoint has a new request for Reservation Stats

```
/reservations/stats/{uuid}
```

The API includes a new call to get entity stats that are affected by a reservation. You pass the UUID of the reservation you want to inspect. The returned data gives stats for any entity commodities that the reservation VMs consume.

- **Fixed Issue:**

Fix Version: 8.1.5

Customer Issue 111995

The Density charts show mixed data points.

When you view a density chart (e.g. VMs over Host Density), the chart should roll data up into the appropriate data points. For example, for hourly data, it should not also include ten-minute data points. However, the chart display mixes these data point types.

- **Fixed Issue:**

Fix Version: 8.1.2

An intermittent Swagger error no longer causes the GET /actions/uuid/details to return an error code.

Due to an issue with the generated Swagger DTO hierarchy, parsing the result of the GET actions/uuid/details request would cause an error to be generated. This error will no longer occur, and the request will complete successfully.

- **Fixed Issue:**

Fix Version: 8.1.2

A request for reservation stats can return values for Reserved VMs that have been deployed.

A request for /reservations/stats/uuid can return values for Reserved VMs that have been deployed.

After using the API to deploy the VMs in a reservation, Turbonomic keeps a record of those VMs and their reservations for 48 hours. When you get stats for reserved VMs, the API incorrectly includes values for these deployed VMs. The actions that Turbonomic recommends are correct, but reporting on provider statistics can be incorrect.

- **Fixed Issue:**

Fix Version: 8.1.2

The GET /supplyChains request no longer returns incorrect levels of detail.

The GET /supplyChains request no longer returns an entity level of information when compact is passed in the request.

- **Fixed Issue:**

Fix Version: 8.1.1

Customer Issue 112207

For calls to get historical stats, the header can indicate a count of returned entries that differs from the actual result.

This can happen when the current market has new entities that have not historical database entries for the requested time range.

- **Fixed Issue:**

Fix Version: 8.1.0

Customer Issue 113843

When you execute an API call to get actions, the returned data should include a value for `lastModified`. However, the data always returns a value of 0 for that field.

- **Fixed Issue:**

Fix Version: 8.1.0

Fix Version: 8.1.1

Customer Issue 113527

Under some circumstances, when creating large groups the API returns a 500 error and generates the following log entry:

```
ERROR [grpc-default-executor-22959] [GroupRpcService] : Cannot find groups with ids
```

- **Known Issue:**

Fix Version: 8.1.1

The `limitEntities` parameter in the `ActionScopesApiInputDTO` is ignored in the `POST /actions` and `POST /actions/stats` requests.

The `limitEntities` parameter in the `ActionScopesApiInputDTO` is ignored in the `POST /actions` and `POST /actions/stats` requests. In the `POST /actions` request, this functionality is handled by pagination.